Help	>			
. 🚳	Welcome		-	
? ??	Help Contents Search Dynamic Help			Help -
â	Key Assist Tips and Tricks Report Bug or Enhancement Cheat Sheets	Ctrl+Shift+L		Install N Software
	Eclipse Marketplace Check for Updates		, °	
	Install New Software			
	About Eclipse			

🖨 Install	
Available Software Select a site or enter the location of a site.	
Work with: type or select a site	- Add

😂 Add R	epository		—		
Name:	egit		Local		
Location:	http://www.jgit.org/updates	0	Archive		
?		ок	Cancel	http://www.jgit.o	\mathcal{I}
·				rg/updates	$\langle \rangle$
			(- 입력 후 "OK"	\mathcal{V}
				L L	

Install	
Available Software	
Check the items that you wish to install.	
Work with: egit - http://www.jgit.org/updates	Add
Find more software by working with the "Available Software S	<u>Sites"</u> preferences.
type filter text	
Name Version	
Control C	
Eclipse Git Team Provider - Source Code 3.3.0.201403021825-r	
Task focused interface for Eclipse Git Team Provider	
	Eclinse Git Team
	provider γ
Select All Deselect All 1 item selected	체귀 후 🥆 🖊
Details	"Nlovt"
Eclipse Git Team Provider	
Chow only the latest versions of available software I lide items that are already installed	
Group items by category What is already installed?	
Show only software applicable to target environment	
Contact all update sites during install to find required software	
< Back Next > Finish	Cancel

Install				
Install Details (i) Your original request has been modified. See the details.				
Name	Version	Id		
 Eclipse Git Team Provider Java implementation of Git 	3.3.0.2014030218 3.3.0.2014030218	org.eclipse.egit.feature.gro	up up	
< III		6	\sim	
Size: Unknown Details Your original request has been modified. "Eclipse Git Team Provider" is already installed, so an update will	be performed instead		"Next")
?	Back Next >	Finish	Cancel	

7

Install		
Review Licenses Licenses must be reviewed and accepted before the software can be	e installed.	
Licenses:	License text:	
Eclipse Foundation Software User Agreement	Eclipse Foundation Software User Agreement February 1, 2011 Usage Of Content THE ECLIPSE FOUNDATION MAKES AVAILABLE SOFTWARE, DOCUMENTATION, INFORMATION AND/OR OTHER MATERIALS FOR OPEN SOURCE PROJECTS (COLLECTIVELY "CONTENT"). USE OF THE CONTENT IS GOVERNED BY THE TERMS AND CONDITIONS OF THIS AGREEMENT AND/OR THE TERMS AND CONDITIONS OF LICENSE AGREEMENTS OR NOTICES INDICATED OR REFERENCED BELOW. BY USING THE CONTENT, YOU AGREE THAT YOUR USE OF THE CONTENT IS GOVERNED BY THIS AGREEMENT AND/OR THE TERMS AND CONDITIONS OF ANY APPLICABLE LICENSE AGREEMENTS OR NOTICES INDICATED OR REFERENCED BELOW. IF YOU DO NOT AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT AND THE TERMS AND CONDITIONS OF THIS AGREEMENTS OR NOTICES INDICATED OR REFERENCED I accept the terms of the license agreement	Accept 亭 "Finish"
? < B	ack Next > Finish Cancel	

Installing Software	- • •			
Installing Software				
Always run in background				
Rup in Packground Cancel	Dataile			
	Details >>		\sim	\frown
Coffware Undates		\bigcap	\prec \prime \prime	5
Software opuates		7	설지 후	J
You will need to restart Eclipse for the changes to take effect restart now?	. Would you like to		Eclipse	$\langle \rangle$
	• 0 C	7 (재시작	γ
Yes	No	Ľ	へノ	

Flow 의 이해



Github 와 Egit 연동 (팀장 & 최초 소스공유자)

Github 와 Egit 연동 (팀장 & 최초 소스공유자)



Github 와 Egit 연동	(팀장 & 최초 소스공유	자) 1. Git 클릭"Next" 2. Create 클릭	
Share Project Select the repository plug-in that will be used to share the Select a repository type:	e selected project.	3.로컬 경로 지정 과 - 이름 입력 후 "Finish"	\sum
Git CVS Git CVS CVS CVS CVS CVS CVS CVS CVS	 Configure Git Repository Configure Git Repository Select an existing repository or create a new Use or create repository in parent folder of Repository: Working directory: No repository selecte Path within repository: Project Current Location C:/20081349/mobiletest 	one project d Create a Git Repository Create a New Git Repository Please determine the directory for the new repository Parent directory: C:\Users\#2[연상\#git Name: mobile]	Create
		? Finish	Cancel

Github 와 Egit 연동 (팀장 & 최초 소스공유자)



Commit

(팀장 & 최초 소스공유자)



Commit(팀장 & 최초 소스공유자)

a Commit	Changes			X		
Commit C	hanges to Git Repository			GIT	Commit 과 과	5
Commit m	essage				되 저ㅂ르 나	く
Source		0	0 C			
Author:	최연상 <최연상@202.31.201.106>					
Committer	최연상 <최연상@202.31.201.106>					
Files (5/5)				2		
type filter	text					
Status	Path mobiletest/.classpath mobiletest/.gitignore mobiletest/.project mobiletest/.settings/org.eclipse.jdt.core.prefs mobiletest/src/test.java					
?	Commit a	nd Push Co	ommit	Cancel		

Push (팀장 & 최초 소스공유자)



Push (팀장 & 최초 소스공유지	h) Github의 그루 저작소 주소	
Push to Another Repository		~ ノ
Destination Git Repository Enter the location of the destination repository.		\mathcal{F}
Location	0	
URI: ⁹ https://github.com/Family-of-loves/TestLab.git	.ocal File	
Host: aithub.com		
Repository path: /Family-of-loves/TestLab.git		
Protocol: http		
Port:		
Authentication O	Public Family-of-loves / TestLab	★ Star 0
User:	고 ····································	
Password: O	Image: Section of the section of t	<> Code
Store in Secure Store 📃	1 12 branch: hagi4u - TestLab / 💽	Issues
-	First Commit	III Wiki
	JeongMyoungHak authored an hour ago latest commit d30b7a5d3d 🚱	
C http 석정 ,)		4~ Pulse
	We recommend adding a README to this repository to help give people an overview of your project.	P Network
		X Settings
	Г	HTTPS clone URL
	ly of laws (Test) a farms her	https://github.cos
Rext > Finis	sh Cancel	

Push (팀장 & 최초 소스공유자)

Push to: https://github.com/Family-of-log	oves/mobile.git	- • -	Push to: https://github.com/choigoon	7/choigoon7.git	(- • •
			Push Ref Specifications			GIT
Push Ref Specifications		GIT	Select refs to push.			
Select refs to push.						
		-	Add create/update specification Source ref:	Destination ref:		
Add create/update specification			*	*	•	Add Spec
Source ref:	Destination ref:		Add delete ref specification			
	refs/heads/master	🕂 Add Spec	Remote ref to delete: *		•	CAdd Spec
HEAD			Add predefined specification			
master [branch]			Add Configured Push Specs	Add All Branches Spec	Add All Ta	gs Spec
Remote ref to delete.	▼	🗙 Add Spec	Specifications for push			
			Mode Source Ref	Destination Ref	Force Update	emove
Add predefined specification			+ Update refs/heads/master	refs/heads/master		Ū
Add Configured Push Specs	Add All Branches Spec Add All T	ags Spec			0	
Cracifications for push						
specifications for push				\cap		
Mode Source Ref	Destination Ref Force Update	Rom		U		
				Force Update All	Specs Remo	/e All Specs
					·	
Mactor)		
Iviaster	신택 수					
→ 享 A[
			· · · · · · · · · · · · · · · · · · ·	Bick Next >	Finish	Cancel
	For	ce Upda	ite 체크	· ·		
	Force Update All St	ヵᅎ [╹] ᅯᆽ) 0		
		기근 지경	방되어있	Λ $$		
	(더 :	<u> </u>	가 산제		-	_
					\checkmark \checkmark	
	> 되기	때문에	제土 해 👌))
		ᆔ	K	"Ne	ext"	
				C)
(?)	< Back Next > Ph	7	\sim		ノ	

develop Branch 생성

🧅 Java - Eclipse						
File Edit Refactor Sou		New				
		Go Into	•	😂 😂 🖋 ▼ ½ ▼ 🖗 ▼ 🗧	¢ •	$\Rightarrow \bullet \exists$
🛱 Package Explorer 🔀		Open in New Window	L			
⊳ (> test1 [test1 NC		Open Type Hierarchy F4 Show In Alt+Shift+W •	ß	Commit Ctrl+	#	
		Copy Ctrl+C Copy Qualified Name	2 4]	Fetch from Upstream		
		Paste Ctrl+V Delete Delete	42	Remote	•	
	~	Diction Diction	灓	Switch To	• 🖧	New Branch
	<u>_</u>	Remove from Context Ctrl+Alt+Shift+Down Build Path		Advanced	•	Other
		Source Alt+Shift+S >	ş.	Pull		
		Refactor Alt+Shift+T ►	*	Synchronize Workspace		
	2	Import		Merge Tool		
		develop branch 생성 Team -> Switch To -> New Branch				

0

🖨 Create Branch	
Create a new branch	
Source: 🚓 master	Select
Branch name: develop	0
Configure upstream for push and pull	
When doing a pull	
Merge upstream commits into local branch	
Rebase commits of local branch onto upstream	
Checkout new branch	Devleop 설정 후 Finish -> github 로그인
Finish	Cancel



	Push to: https://github.com/Family-of-loves/mobile.git				
Commit Changes	Push Ref Specifications				
Commit Changes to Git Repository	Select refs to push.				
	Add_create/undate_specification				
Commit message	Source ref: Destination ref:				
⁰ develop	Add Spec				
	develop [branch]				
	Add Spec				
	Add predefined specification				
	Add Configured Push Specs Add All Branches Spec Add All Tags Spec				
Author: 최연상 <최연상@202.31.201.106>	Specifications for push				
Committer: 최연상 <최연상@202.31.201.106>	Mode Source Ref Destination Ref Force Update Remove				
Files (1/1)					
type filter text					
V I mobiletest/src/test.java	Devleop 설정 후 🗸				
	\rightarrow ADD \rightarrow				
Commit and Push	L				

Family-of-loves / mobile	G [*] Unwatch ▼ 4 Star 0 G [*] For For
Branches	Recently Active Stale
Showing 4 branches not merged into master. View merged branches. master Last updated 3 hours ago by 최연상.	Base branch
develop Last updated 2 hours ago by JeongMyoungHak.	Polete branch Compare
이 Branch가 추가됨 클릭!	}

Github 와 Egit 연동

File) Edit Refactor So	urce	Navigate	Search	Pro
	New		Alt	+Shift+N	•
	Open File				
	Close			Ctrl+W	
	Close All		Ctrl+	-Shift+W	
	Save			Ctrl+S	
8	Save As				
¢	Save All		Ctrl	+Shift+S	
	Revert				
	Move				
	Rename			F2	
\$	Refresh			F5	
	Convert Line Delimit	ters To			•
Đ	Print			Ctrl+P	
	Switch Workspace				F
	Restart				
2	Import				
4	Export				
	Properties		,	Alt+Enter	
	Exit				



Import Projects from Git		Import Projects from Git
Select Repository Source Select a location of Git Repositories	GIT	Source Git Repository Enter the location of the source repository.
Existing local repository		Location UR: ^{https://github.com/Family-of-loves/mobile.git Host: github.com Repository path: /Family-of-loves/mobile.git Connection O Protcol: https://github.com Authentication User: User: 그룹저장소 Password: 조소 입력}
? < Back Next > Finish	Cancel	A Back Next > Finish Cancel

Import Projects from Git				
Branch Selection	Import Projects from Git			
Select branches to clone from remote repository. R will be created to track updates for these branches	Local Destination			
Branches of https://github.com/Family-of-loves/mc	Configure the local storage location for mobile.			
type filter text				
	Destination			
	Directory: C:\Users\Alledowsdevers\Browse			
	Initial branch: develop			
0	Clone submodules			
O	Configuration			
	origin			
Branch 목표	록	入		
develop branch	· 선택 🔶 develop Branch 선택 ^	\sim		
Select All Deselect Au				
Back Next >				
	(?) < Back Next > Finish Cancel			

Cloning from https://github.com/choigoon7/choigoon7.git	
Select a wizard to use for importing projects Depending on the wizard, you may select a directory to determine wizard's scope	ine the
Wizard for project import Import existing projects Use the New Project wizard Import as general project Working Directory - C:#Users#최연상#git#choigoon7	Cloning from https://github.com/Family-of-loves/mobile.git Import Projects Import projects from a Git repository
	Projects: type filter text to filter unselected projects Select All @ @ mobiletest (C:\Users\All 연상\u00fcd\u00edfilturest) Deselect All
	Search for nested projects Working sets Working sets: Select
	Cancel



나만의 brach 생성





🚺 mobile.java 🔀	Push to: https://github.com/Family-of-loves/mobile.git
<pre>public class mob int member1;</pre>	Push Ref Specifications Select refs to push.
int kkk;	Add create/update specification
} 0	Source ref: Destination ref:
\circ	member1 [branch]
Ũ	Add predefined specification
	Add Configured Push Specs Add All Branches Spec Add All Tags Spec
\bigcirc	Specifications for push
Ŭ	Mode Source Ref Destination Ref Force Update Remove
수정 후 commi push *push 시 자신 branch 선택	t & P Force Update All Specs Remove All Specs
	Seck Next > Finish Cancel



develop branch 와 나의 branch 병합



File Edit Refactor Run						
		Go Into	,	> -	• 9₄ • ₩ @ • ₾ @ ৵ •	
Package Explorer mobiletest [mobile		Open in New Window Open Type Hierarchy Show In	F4 Alt+Shift+W ►	R R	Commit Ctrl+#	
▶ ☑ mobile.ja ▶ ☑ mobile.ja ▶ ☑ mobile.ja ▶ ➡ JRE System Libr.		Copy Copy Qualified Name	Ctrl+C Ctrl+V Delete	49 40	Fetch from Upstream Push Branch Remote	
	2	Remove from Context	Ctrl+Alt+Shift+Down	灓	Switch To Advanced	
		Source Refactor	Alt+Shift+S Alt+Shift+T ▶	چ 1	Pull Synchronize Woopace	ļ
	24 23	Import Export		€E ⊟\$	Merge Tool O	
	Ŷ	Refresh Close Project Assign Working Sets	F5	₽	Rebase Reset Create Patch	
mobiletest		Run As Debug As Profile As Validate Compare With Replace With Restore from L Team Configure Properties Resource Configurations	Member1 개발 br 될 수 꼭! Pull	LO ar 도 조	수정 하는 동안 hch가 업데이트 - 있기 때문에 t업을 하여야됨	





ſ	😂 Merge 'develop'		
4	Merge 'develop' Select a branch or tag to merge into the 'develop' branch		
1 t	type filter text Coal develop 012daa9 Fixed member1 6f27209 1 Fremote Tracking rigin/develop 012daa9 Fixed Tags Not Control Not	y l brach를 내서 병합	\mathbf{c}
	Merge options ⓒ Commit (commit the result) ⓒ No commit (prepare merge commit, but don't commit yet) ⓒ Squash (merge changes into working directory, but don't create merge commit)	velop branch에 out한 상태	
	 Fast forward options If a fast-forward, only update the branch pointer If a fast-forward, create a merge commit If not a fast-forward, fail 		
	Merge Cancel		





増 Package Explorer 🛛 🕞 🔄 🍃 🍸 🗖 🗖	🚺 mobile.java 😒	
Image: Market Merged develop Image: Merge	<pre>public class mobile {</pre>	
▲ (# src	int develop;	
Image: A contract of the co	int member1.	
JRE System Library [JavaSE-1.7]	Int member1;	
	int kkk;	
	a Commit Changes	
0	Commit Changes to Git Repository	GIT
0		
	Commit message	a 🦻 🖓 🙀
O	⁹ Merge branch 'member1' into develop	
	Conflicts: mobiletest/src/mobile.java	
이르 해겨 ㅎ	2	
	Author: 최연상 <최연상@192.168.56.1>	I
Commit & push	Committer: 최연상 <최연상@192.168.56.1>	
	Files (1/1)	2 🔽 🗖
	type filter text	
	Status Path Comparison of the state of the	
	Commit and Push Co	ommit Cancel



동기화의 이유?

나의 branch에서 작업 전, 원격 저장소의 다른 branch 의 최신 파일 내용을 수정 작업 해야할 경우



🎦 Project Explorer 🔀		New	•		Commit Ctd. #				
		Go Into		R -51	Push to Upstream				
▲ → mobiletest [mobile1		Show In	Alt+Shift+W ►	*	Fetch from Upstream				
a 🌐 (default packag	D	Сору	Ctrl+C	-83	Push Branch				
III mobile.java	Þ	Copy Qualified Name			Remote	•			
p 🔤 Jile System Library	Ē	Paste	Ctrl+V	赑	Switch To				
	×	Delete	Delete		Advanced	2	Rename Branch		
	<u>_</u>	Remove from Context	Ctrl+Alt+Shift+Down	.el	Pull	×	Delete Branch		
		Build Path	•		Construction Westmann	*	Synchronize	•	FETCH_HEAD
		Refactor	Alt+Shift+T ►	*1	Synchronize Workspace		Tee		-
	2	Import			Merge Tool	L[1.0	1ag	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	reis/neads/develop
	4	Export		Å	Merge		Clean	Å	refs/remotes/origin/develop
	ন্থ	Refresh	F5	ĥ	Rebase	4	Assume Unchanged O	\$	refs/remotes/origin/master
		Close Project		(5)	Reset	+	No Assume Unchanged	\$	refs/remotes/origin/member1
		Close Unrelated Projects			Create Patch	66	Untrack	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	refs/remotes/origin/member2
		Validate			Apply Patch	Г			Custom
		Run As	•		A dal an Terdero		_	_	
		Debug As	+	- T	Add to Index		\sim		
		Profile As	+	_~⇒>	Ignore		()		
		Compare With	•	2	ignore		\bigcirc		
		Replace With	+	a	Show in Repositories View	F			
		Restore from Local History		1	Show in History		\sim		🖃 🔐 👫 🔐 🛷 🔮
		Team		1.9			$\gamma $		
							· · · · · · · · · · · · · · · · · · ·		`
			/ _						
			A lea	m	i -> advance	<u> 20</u>	->)
							-	-	$\overline{}$
		(S\	/nchronize -	>			
		(득	기화 할 brar	١C	h \		
			, c				···		
			$\overline{}$						
					$ \rightarrow $				
						-			







감사합니다.